



GG COMPACTORS
BALING SYSTEMS

GGV75

GGV75/2

GGV150



The GGV75 is a small/medium sized baler, perfect for the production of small to medium compact bales and ideal for limited space environments. Powered by a standard 3 pin 13 amp plug, the bale weight output is 75 kgs. An optional extra lifting trolley is available with this quiet operational vertical baler.

The GGV75/2 is a small/medium sized twin chamber baler, saving handling time with a chamber free to load while the other chamber compacts. Perfect for environments with height restrictions, the bale weight output is 75 kgs. This baler has retaining claws to prevent spring back and a roller guided head for ease of movement.

The GGV150 has a fully automated bale ejector making bale ejection clean and simple, perfect for the production of mid range compact bales and easy loading for larger size boxes, the bale weight output is 150 kgs. This baler has retaining claws to prevent spring back.

Baler Dimensions

Height	2.35 m
Width	1.00 m
Depth	0.585 m
Weight	270 kgs

Power Supply	220-230 volt Single Phase
Motor	1.5 Kw
Pressing Force	Up to 3.5 Tonnes

Loading Aperture Sizes

Height	0.64 m
Width	0.70 m

Bale Dimensions

Height	1.00 m
Width	0.70 m
Depth	0.50 m
Weight	Up to 75 kgs
Cycle Time	24 Secs

Baler Dimensions

Height	1.978 m
Width	2.050 m
Depth	0.820 m
Weight	562 kgs

Power Supply	220-240 volt Single Phase
Motor	1.5 Kw
Pressing Force	Up to 3.5 Tonnes

Loading Aperture Sizes

Width	0.70 m
Depth	0.50 m

Bale Dimensions

Height	1.00 m
Width	0.70 m
Depth	0.50 m
Weight	Up to 75 kgs
Cycle Time	35 Secs

Baler Dimensions

Height	2.80 m
Width	1.50 m
Depth	0.98 m
Weight	780 kgs

Power Supply	220-240 volt Single Phase
Motor	2.2 Kw 16 amp
Pressing Force	Up to 8 Tonnes

Loading Aperture Sizes

Height	0.65 m
Width	0.95 m

Bale Dimensions

Height	1.00 m
Width	0.95 m
Depth	0.80 m
Weight	Up to 150 kgs
Cycle Time	40 Secs

